## WHAT IS CLAIMED IS:

identifier.

1. A method for delivering content to be locked in a user device comprising: receiving a content selection;

receiving a device identifier operable to identify a specified user device; generating a lock message based on the content selection; and sending the lock message to the user device identified by the device

- 2. The method of Claim 1, further comprising receiving a locking option selection and generating a lock message further comprising generating the lock message based on the locking option selection.
- 3. The method of Claim of the lock message comprising content data based on the content selection and a locking requirement based on the locking option selection.
- 4. The method of Claim 1, generating a lock message further comprising generating the lock message based on at least one locking option available for selection.
- 5. The method of Claim 1, further comprising providing a plurality of content identifiers, each content identifier operable to identify a content available for selection, the content selection comprising a selection of one of the content identifiers.

- 6. The method of Claim 1, further comprising providing a plurality of locking options available for selection.
- 7. The method of Claim 1, further comprising receiving an acceptance from
- 5 the user device and enabling receipt of a reward for a user of the user device based on the acceptance.

5

- 8. A system for delivering content to be locked in a user device, comprising: a content database operable to store a plurality of contents; and
- a delivery server operable to receive a content selection of one of the plurality of contents, to receive a device identifier operable to identify a specified user device, to generate a lock message based on the content selection, and to send the lock message to the user device identified by the device identifier.
- 9. The system of Claim 8, the delivery server further operable to receive a locking option selection and to generate the lock message based on the locking option selection.
- 10. The system of Claim 9, the lock message comprising content data from the content database based on the content selection and a locking requirement based on the locking option selection.
- 11. The system of Claim 8, the delivery server further operable to generate the lock message based on at least one locking option available for selection.
- 12. The system of Claim 8, the delivery server further operable to provide a plurality of content identifiers, each content identifier operable to identify a content in the content database, the content selection comprising a selection of one of the content identifiers.

- 13. The system of Claim 8, the delivery server further operable to provide a plurality of locking options available for selection.
- 14. The system of Claim 8, the delivery server further operable to receive an acceptance from the user device and to enable receipt of a reward for a user of the user device based on the acceptance.

20

5

15. A method for locking content in a user device, comprising:

receiving a lock message comprising terms of a locking option and content data;

providing the terms of the locking option to a user;
receiving acceptance of the terms of the locking option from the user;
revising content in the user device based on the content data; and
locking the content in accordance with a locking requirement, the locking
requirement based on the terms of the locking option.

- 16. The method of Claim 15, the locking requirement comprising a specified period of time.
- 17. The method of Claim 15, the locking requirement comprising a specified amount of usage time for the user device.
- 18. The method of Claim 15, the locking requirement comprising a specified number of usages of the content.
- 19. The method of Claim 15, further comprising sending an acceptance notification to a delivery server.
  - 20. The method of Claim 15, further comprising unlocking the content after the locking requirement has been met.